After Final Office Action of October 31, 2006

LISTING OF CLAIMS

Docket No.: 3673-0170P

1. - 4. (canceled)

5. (withdrawn) A golf club head in which when a horizontal direction from a toe side toward a

heel side is set to be an X direction, a vertical and upward direction is set to be a Y direction,

coordinates of a center of a hitting surface are set to be (0, 0) and coordinates of a maximum

resilience point in the hitting surface are set to be (x, y), y is equal to or greater than -5 mm and

is smaller than 0 mm.

6. (withdrawn) The golf club head according to claim 5, wherein the y is -5 mm to -2 mm.

7. (withdrawn) The golf club head according to claim 5, wherein a value of $(t^2 - t^1)$ on the

center of the hitting surface which is measured in accordance with a pendulum test determined

by USGA is smaller than 250•10⁻⁶ second.

8. (withdrawn) The golf club head according to claim 5, wherein the value of (t2-t1) on the

maximum resilience point which is measured in accordance with the pendulum test determined

by the USGA is 250•10⁻⁶ second or more.

9. (withdrawn) A golf club head in which when a horizontal direction from a toe side toward a

heel side is set to be an X direction, a vertical and upward direction is set to be a Y direction,

coordinates of a center of a hitting surface are set to be (0, 0) and coordinates of a maximum

resilience point in the hitting surface are set to be (x, y), x is equal to or greater than -10 mm and

is smaller than 0 mm.

10. (withdrawn) The golf club head according to claim 9, wherein the x is -8 mm to -3 mm.

11. (withdrawn) The golf club head according to claim 9, wherein a value of $(t^2 - t^2)$ on the

center of the hitting surface which is measured in accordance with a pendulum test determined

by USGA is smaller than 250•10⁻⁶ second.

2 ADM/FRH/

12. (withdrawn) The golf club head according to claim 9, wherein the value of (t2-t1) on the maximum resilience point which is measured in accordance with the pendulum test determined by the USGA is $250 \cdot 10^{-6}$ second or more.

- 13. (withdrawn) A golf club head in which when a horizontal direction from a toe side toward a heel side is set to be an X direction, a vertical and upward direction is set to be a Y direction, coordinates of a center of a hitting surface are set to be (0, 0) and coordinates of a maximum resilience point in the hitting surface are set to be (x, y), x is greater than 0 mm and is equal to or smaller than 10 mm.
- 14. (withdrawn) The golf club head according to claim 13, wherein the x is 3 mm to 8 mm.
- 15. (withdrawn) The golf club head according to claim 13, wherein a value of (t2-t1) on the center of the hitting surface which is measured in accordance with a pendulum test determined by USGA is smaller than $250 \cdot 10^{-6}$ second.
- 16. (withdrawn) The golf club head according to claim 13, wherein the value of (t2-t1) on the maximum resilience point which is measured in accordance with the pendulum test determined by the USGA is $250 \cdot 10^{-6}$ second or more.
- 17. (previously presented) A golf club head in which when a horizontal direction from a toe side toward a heel side is set to be an X direction, a vertical and upward direction is set to be a Y direction, coordinates of a center of a hitting surface are set to be (0, 0) and coordinates of a maximum resilience point in the hitting surface are set to be (x, y), and wherein

the maximum resilience point is displaced from the coordinates (0, 0);

- y is equal to or greater than -5 mm and is equal to or smaller than 10 mm, and x is equal to or greater than -10 mm and is equal to or smaller than 10 mm;
- a value of (t2-t1) on the center of the hitting surface which is measured in accordance with a pendulum test determined by USGA is smaller than $250 \cdot 10^{-6}$ second; and the value of (t2-t1) on the maximum resilience point which is measured in accordance with the pendulum test determined by the USGA is $250 \cdot 10^{-6}$ second or more.

Docket No.: 3673-0170P

Application No. 10/791,845 Amendment dated January 31, 2007

After Final Office Action of October 31, 2006

18. (previously presented) The golf club head according to claim 17, wherein the y is -5 mm to -2 mm.

- 19. (previously presented) The golf club head according to claim 17, wherein the x is -8 mm to -3 mm.
- 20. (previously presented) The golf club head according to claim 17, wherein the x is 3 mm to 8 mm.

4 ADM/FRH/

Docket No.: 3673-0170P